

according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006 Revision date 16th February 2022

16th February 2022 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

..1. Product identifier OFFICE CLEAN

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Ready to use, neutral product designed for general cleaning. Excellent for everyday upkeep of furniture, office accessories and general homeware. Leaves a pleasant aroma.

Mixture uses advised against

not available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name TENZI Sp. z o.o.

Address Skarbimierzyce 20, Dołuje, 72-002

Poland

 VAT Reg No
 PL8512583405

 Phone
 +48 91 3119777

 E-mail
 info@tenzi.pl

 Web address
 www.tenzi.pl

Competent person responsible for the safety data sheet

Name technolog@tenzi.pl E-mail technolog@tenzi.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

Supplemental information

perfumes

none

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44- XXXX	2-(2-butoxyethoxy)ethanol	<1	Eye Irrit. 2, H319	1, 2



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006
Revision date 16th February 2022 Version 2.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43- XXXX	ethanol	<0,6	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25- XXXX	propan-2-ol	<0,4	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	

Notes

- 1 Substance with a Union workplace exposure limit.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006 Revision date 16th February 2022

Version 2.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Content	Packaging type	Material of package
1000 ml	bottle	HDPE

Storage temperature

min 5 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2006/15/EC

Substance name (component)	Type	Value
	OEL 8 hours	67,5 mg/m ³
2 /2 hutayyathayy/lathanal (CAC) 112 24 E)	OEL 8 hours	10 ppm
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 15 minutes	101,2 mg/m ³
	OEL 15 minutes	15 ppm

DNEL



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006 Revision date 16th February 2022

Version 2.0

2-(2-butoxyethoxy)ethanol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	20 mg/kg	Systemic chronic effects		SDS
Workers	Inhalation	67.5 mg/l	Systemic chronic effects		SDS
Workers	Inhalation	67.5 mg/l	Local chronic effects		SDS
Consumers	Inhalation	50.6 mg/l	Local acute effects		SDS
Consumers	Dermal	10 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	3 mg/l	Systemic chronic effects		SDS
Consumers	Oral	1.25 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	34 mg/l	Local chronic effects		SDS

ethanol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	343 mg/kg	Systemic chronic effects		SDS
Workers	Inhalation	950 mg/m ³	Systemic acute effects		SDS
Workers	Dermal	1900 mg/kg	Systemic acute effects		SDS
Consumers	Dermal	206 mg/kg	Systemic chronic effects		SDS
Consumers	Oral	87 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	114 mg/m ³	Systemic chronic effects		SDS
Consumers	Dermal	950 mg/kg	Systemic acute effects		SDS
Consumers	Inhalation	950 mg/m ³	Systemic acute effects		SDS

propan-2-ol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	888 mg/kg	Systemic chronic effects		SDS
Workers	Inhalation	500 mg/m ³	Systemic chronic effects		SDS
Consumers	Dermal	319 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	89 mg/m ³	Systemic chronic effects		SDS
Consumers	Oral	26 mg/kg	Systemic chronic effects		SDS

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure	Value	Determining method
Drinking water	1 mg/l	
Seawater	0.1 mg/l	
Freshwater sediment	4 mg/kg	
Sea sediments	0.4 mg/kg	
Soil (agricultural)	0.4 mg/kg	
Microorganisms in wastewater treatment plants	200 mg/l	
Oral	56 mg/kg	

ethanol

Route of exposure	Value	Determining method
Soil (agricultural)	0.63 mg/kg	
Microorganisms in wastewater treatment plants	580 mg/l	
Seawater	0.79 mg/l	
Freshwater sediment	3.6 mg/kg	
Drinking water	0.96 mg/l	



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006 Revision date 16th February 2022

16th February 2022 Version 2.0

propan-2-ol

Route of exposure	Value	Determining method
Drinking water	140.9 mg/l	
Seawater	140.9 mg/l	
Freshwater sediment	552 mg/kg	
Sea sediments	552 mg/kg	
Soil (agricultural)	28 mg/kg	

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Contaminated skin should be washed thoroughly.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour violet

Odour characteristic of the composition used for

Melting point/freezing point data not available

Boiling point or initial boiling point and boiling range data not available
Flammability data not available

Lower and upper explosion limit data not available
Flash point data not available
Auto-ignition temperature data not available
Decomposition temperature data not available

pH 7 (undiluted at 20 °C) Kinematic viscosity data not available

Solubility in water soluble

Partition coefficient n-octanol/water (log value)

Vapour pressure

data not available
data not available

Density and/or relative density

Density data not available Relative density 1,000 g/cm3 (+-) 0,020

Form liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006
Payision date 16th February 2022

Revision date 16th February 2022 Version 2.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-(2-butoxyethoxy)ethanol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	2410 mg/kg		Mouse		SDS
Dermal	LD50	2764 mg/kg		Rabbit		SDS

ethanol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD50	6.2-15 g/l		Rat (Rattus norvegicus)		SDS
Oral	LDL0	6000 mg/kg		Human		SDS
	LDL0	7060 mg/kg		Rat (Rattus norvegicus)		SDS
Inhalation	LC50	<50 mg/l	4 hour	Rat (Rattus norvegicus)		SDS

propan-2-ol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	>2000 mg/kg				SDS
Skin	LD ₅₀	>2000 mg/kg				SDS
Inhalation	LC50	>5 mg/l				SDS

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006 Revision date 16th February 2022

Version 2.0

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

2-(2-butoxyethoxy)ethanol

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
LC50		1300 mg/l		Fishes (Lepomis macrochirus)		SDS
EC50		>100 mg/l		Aquatic invertebrates (Daphnia magna)		SDS
EC50	OECD 201	>100 mg/l		Algae (Scenedesmus subspicatus)		SDS
EC 10	OECD 209	>1995 mg/l				SDS

propan-2-ol

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
LC50		>100 mg/l	48 hour	Fishes (Leuciscus idus)		SDS
EC50		>100 mg/l	48 hour	Daphnia (Daphnia magna)		SDS
EC50		>100 mg/l	72 hour	Algae (Scenedesmus subspicatus)		SDS

12.2. Persistence and degradability

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006 Revision date 16th February 2022

Version 2.

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

No

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006 Revision date 16th February 2022

16th February 2022 Version 2.0

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.
	2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
	3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:
	"Do not use in paint spraying equipment".

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture. Propan-2-ol: the manufacturer has performed a chemical safety assessment ethanol: A Chemical Safety Assessment has been carried out diethylene glycol monobutyl ether: A Chemical Safety Assessment has been carried out

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by
	road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CE50	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population



according to Regulation (EC) No 1907/2006 (REACH) as amended

OFFICE CLEAN

Creation date 01st December 2006
Revision date 16th February 2022 Version 2.0

log Kow Octanol-water partition coefficient

LZO Volatile organic compounds

MARPOL International Convention for the Prevention of Pollution from Ships

OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UE European Union

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

vPvB Very Persistent and very Bioaccumulative

WE Identification code for each substance listed in EINECS

Eye Irrit. Eye irritation Flam. Liq. Flammable liquid

STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.