

## Q11 CLARITY

### Technical Data Sheet



SYMBOL	pH
DP-33	-

Super hydrophobic clarity quartz permanent nano-coating. World-renowned nano-ceramic coating applied successfully on thousands of cars around the globe. It's nano particles create hydrophobic, durable and a high gloss protection layer..

#### **APPLICATION:**

- car body

#### **COMPOSITION:**

- < 10% alcohols
- < 30% Hydrocarbons C<sub>9-11</sub>
- < 20% silicates
- auxiliary components.

#### **USAGE:**

Perform the whole operation in 18-24°C (in closed room for the best effect). Make sure the car paint is clean and cool. Degrease and remove old coatings from car paint before application. Wrap small cloth around soft-side of the applicator. Apply few drops of Q11 Clarity onto applicator covered with small cloth. Apply thin and even layer onto one paintwork section. Leave the layer on the surface for approx. 3-5 minutes (bonding time). Buff the surface with big microfiber towel to a high gloss. Move to next paintwork section. Apply additional layers with minimum time interval of 3 hours (3 layers recommended). Drying time after application of last layer – 8 hours. Do not apply Q11 Clarity to hot surfaces or in direct sunlight.

## Q11 CLARITY

### Technical Data Sheet

#### CLASSIFICATION OF THE MIXTURE:



#### Signal words:

DANGER

#### Hazard statements:

- H225** – Highly flammable liquid and vapour.  
**H304** – May be fatal if swallowed and enters airways.  
**H315** – Causes skin irritation.  
**H319** – Causes serious eye irritation.  
**H336** – May cause drowsiness or dizziness.

#### Precautionary statements:

- P210** – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
**P280** – Wear protective gloves/protective clothing/eye protection/face protection.  
**P301+P310** – IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
**P305+P351+P338** – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present  
**P331** – Do NOT induce vomiting.  
**P405** – Store locked up.

#### SELL-BY DATE:

36 months from the production date.

Production date/series and expiration date are stated on the packaging.

## *Q11 CLARITY*

### **Technical Data Sheet**

#### **ADDITIONAL INFORMATION:**

Additional information can be found in safety data sheet.

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations